

Decision support for life cycle design of food and packaging


Naoki Yokokawa*, Hirokazu Sugiyama, Masahiko Hirao Department of Chemical System Engineering, The University of Tokyo *n-yokokawa@pse.t.u-tokyo.ac.jp

LCM 2017, European Convention Center Luxembourg, Luxemburg, 5 Sep. 2017

Food and packaging



- Packaging has a lot of functions; productivity, safety, display, usability, ...
 - E.g., instant soup products



Trade-off

Supporting a decision for life cycle design is needed.

Objective



Support a decision for life cycle design of food and packaging.

Strategy

- Visualize environmental impacts with product functions.
- Visualize the relations between functions and design parameters in life cycle.

Case study

Two types of pre-cooked rice






What is pre-cooked rice?







Cooking 30-60 min.



Consumption



Pre-cooked rice (pouch & tray)




2-3 min. **Pouch**









Consumption



Washing & disposal




Consumption



Disposal

LCA of pre-cooked rice





The results based on ISO-LCA indicate the differences of environmental impacts.



Gap between the results and decisions.


- Makers manufacture a product to make the differences of functions.
- Consumers select a product based on the differences of functions.



Why the emissions occur?




Functionality evaluation: allocation of the emissions to functions.



Functionality evaluation method






Visualize the environmental impacts with the function.

Functions in life cycle




Functions provide the benefits in life cycle stages.



Relations between function & design parameters






Relations between function & design parameters




Overview of function network diagram




Conclusions and outlook



- ✓ Functionality evaluation method was developed.
- ✓ Function network diagram was introduced.





- → Visualize trade-off relations btw functions and environmental impacts quantitatively to support a decision for life cycle design.
- Evaluate sustainability from various stakeholders: food losses, sufficiency & cost.
- → Contribute to life cycle design of all stakeholders.

Acknowledgement



We thank them for fruitful discussion.

Packaging Working Group of the Life Cycle Assessment Society of Japan

This research is supported by JSPS KAKENHI Grant Number JP17H01918, and

the Environmental Research and Technology Development Fund (S-16) of the Environmental Restoration and Conservation Agency.

Characters of pre-cooked rice products



Tray product



137 kt/year

Tray

Available
Aseptic processing
6 months

Product example

Production amount (in Japan, 2016)

Packaging

Use as a bowl

Sterility assurance

Expiration date

Pouch product





31 kt/year

Pouch

Not available
Terminal sterilization


12 months

Functionality evaluation




Function 2: Expiration date

Environmental impact of the function



Analysis of demands for pre-cooked rice





Analysis of effects of pre-cooked rice




The difference between base case 222 & alternative 224 Consumption Production Distribution Waste treatment Packaging Shape Tray/Pouch **Material** Barrier material **Product** Productivity **Usability** Barrier ability Not available use as bowl Prolonging expiration date Filling and washing a bowl Sterility-assurance Food Consumption Reducing environ, burden Trade-off between burden and function (Environ. burden)

Activity model



▷ IDEF0 (NIST, 1993)

: The type zero method of integrated definition for function modeling



Stakeholder

S1: Policy maker

S2: Packaging maker

S3: Food maker

S4: Distributor

S5: Consumer

S6: Packaging waste manager


S7: Food waste manager


Information flows between different stakeholders are described.

Information flows btw packaging maker & consumer



Present state





→ Identify information for life cycle design.

Boundary for assessment



